

Gastroscopy you should contact the hospital or your doctor's rooms immediately:

- Other symptoms that cause you concern
Other symptoms that cause you concern

7

If you have any questions or need advice, please consult your doctor before the procedure. Other symptoms that

Take home points

- Gastroscopy is a procedure used to see inside the oesophagus, stomach and first part of the small bowel
- An empty stomach is essential for a safe and accurate
- During Gastroscopy a light anaesthetic is often used to keep the patient comfortable Other symptoms that cause you concern
- The doctor will usually remove polyps and biopsy abnormal-looking tissue during the Gastroscopy
- Driving is not permitted for 24 hours after Gastroscopy to allow the sedative time to wear off
Other symptoms that cause you concern

Dr. Rela Institute & Medical Centre is a multi-specialty quaternary care hospital located in Chennai, India.

The Institute is within the campus of Sree Balaji Medical College and Hospital, which is spread across 36 acres. It has 14 operating theatres with 450 beds, inclusive of 150 critical care beds.

The Institute is conveniently located 10 minutes from the Domestic and International Airport.

The hospital is designed to provide highly specialized care in various departments with a focus on multi-organ transplantation. Prof. Mohammed Rela, a world renowned surgeon in the field of Liver surgery and transplantation is the Chairman and Managing Director of the Institute.

In addition to quaternary & quality care, is also committed to provide day to day primary and secondary care to the local population, with facilities of international standards.

The Institute would provide comprehensive support to international patients travelling for medical treatment

24 Hr Emergency ☎ 044-6666 7788



DR. RELA INSTITUTE & MEDICAL CENTRE

No. 7, CLC Works Road, Chromepet,
Chennai - 600 044, Tamil Nadu, INDIA.


Tel : +91 44 6666 7777

Email: helpdesk@relainstitute.com

www.relainstitute.com



DR. RELA INSTITUTE & MEDICAL CENTRE
An International Medical Facility



Department of
Gastroenterology

Gastroscopy

Gastroscopy (Upper Endoscopy)

1 What is Gastroscopy?

This procedure involves an endoscope – a long, thin flexible tube with a ‘video camera’ at the tip – being passed through the mouth into the oesophagus, stomach and first part of the small bowel. It allows the doctor to inspect these areas as well as perform specialist procedures such as biopsies. A Gastroscopy is performed as day surgery in hospital.

2 Why is Gastroscopy done?

Gastroscopy is usually performed to evaluate symptoms of indigestion, upper abdominal pain, nausea, vomiting or difficulty swallowing. It is also the best test for finding the cause of bleeding from the upper gastrointestinal (GI) tract.

Gastroscopy is more accurate than x-rays for detecting inflammation, ulcers or tumors in the upper GI tract. Biopsies (samples of tissue) can be taken to determine sites of infection, to test the functioning of the small bowel and to diagnose abnormal tissue, including conditions such as Celiac disease and cancerous lesions.

Gastroscopy is also used to treat conditions of the upper GI tract. Your doctor can pass small instruments through the endoscope to directly treat many abnormalities with little or no discomfort. For example, your doctor might stretch a narrowed area, remove

3 How do I prepare for Gastroscopy?

An empty stomach is essential for a safe and accurate examination, so you should have nothing to eat or drink, including water, for approximately six hours before the examination. Your doctor will provide more specific details about this, depending on the time of day that your test is scheduled.

Tell your doctor in advance about any medications you take. You might need to adjust your usual dose for the examination – this is particularly important if you have diabetes.

Discuss any allergies to medications, and medical

4 How is Gastroscopy performed?

Before the procedure a light anaesthetic (sedative) is usually given – you will not receive a full general anaesthetic. You may be slightly aware of what is going on in the room, but generally you won't remember anything. The back of your throat may be sprayed with local anaesthetic to make it numb, and a small mouthguard may be put between your teeth to stop you from biting the endoscope. If you have false teeth (dentures) they will be removed before the procedure. The doctor and medical staff monitor your vital signs during the procedure and will attempt to make you as comfortable as possible. The procedure takes about 15 to 30 minutes. Once sedated and lying in a comfortable position on your left side, the endoscope is passed through the mouth and then in turn through the oesophagus, stomach and duodenum. The tube is just less than one centimetre in diameter and does not enter your windpipe, so it won't interfere with breathing. A small camera in the end of the scope transmits a video image to a monitor, allowing the doctor to carefully

5 What happens after Gastroscopy?

You will be monitored in the recovery area until most of the effects of the sedation medication have worn off. Your throat might be a little sore, and you might feel bloated because of the air introduced into your stomach during the test. You will be able to eat after you leave unless your doctor instructs you otherwise. In most circumstances your doctor will briefly inform you of your test results on the day of the procedure. A follow-up appointment may be made to discuss the test results more fully. The results of any biopsies or samples taken will take several days. Because of the sedation given it is very important that you do not drive a car, travel on public transport alone, operate machinery, sign legal documents or drink alcohol on the same day after the test. It is strongly advised that a friend or relative take you home and stay with you. Full recovery is expected by the next day. Discharge instructions should be carefully

6 Are there any risks or side-effects ?

Although complications can occur, they are rare when the procedure is performed by doctors who are specially trained in Gastroscopy. The chance of complications depends on the exact type of procedure that is being performed and other factors including your general health. You may have a slightly sore throat after the procedure and there is a slightly increased risk of chest infection. Air may also be trapped in your stomach causing you to feel bloated. If a biopsy has been taken or treatment performed, there may be minor bleeding. Reactions to the sedative are also possible, but again rare. In a few cases, if the Gastroscopy is not successfully completed it may need to be repeated. If you have any of